




air pollution control district
SANTA BARBARA COUNTY

Agenda Item: E-3
Agenda Date: December 5, 2024
Agenda Placement: Admin
Estimated Time: N/A
Continued Item: No

Board Agenda Item

TO: Air Pollution Control District Board

FROM: Aeron Arlin Genet, Air Pollution Control Officer 

CONTACT: Kaitlin McNally, Compliance Division Manager, (805) 979-8298

SUBJECT: Notice of Violation Report

RECOMMENDATION:

Receive and file the attached summary of notices of violation issued and penalty revenue received during the month of October 2024.

DISCUSSION:

Pursuant to Section 40752 of the California Health and Safety Code, the Air Pollution Control Officer shall observe and enforce Part 3 and Part 4 of Division 26 of the Health and Safety Code, all orders, rules, and regulations prescribed by the District Board, all variances and orders prescribed by the District Hearing Board, and all permit conditions imposed pursuant to the District permit program.

In order to keep your Board informed of the enforcement actions taken by the Air Pollution Control Officer, the attached reports list a summary of the notices of violation issued and the penalty revenue received during the month indicated.

ATTACHMENTS:

A. NOV Report, October 2024.

ATTACHMENT A

Notice of Violations
October, 2024

December 5, 2024

Santa Barbara County Air Pollution Control District
Board of Directors

260 San Antonio Road, Suite A
Santa Barbara, California 93110

Notices of Violation Issued October 2024

Nov #	Facility	Company	Location	Violation Description	Self Reported	Violation Issued	Rule
13810	Stowell Rd, 1027 E. (MVFF)	Moller Retail, Inc.	Santa Maria	Failed to maintain daily inspection records		10/01/2024	206
13811	Williams Holding - Long Canyon	Cat Canyon Resources, LLC.	Los Alamos	Stored crude oil in a tank battery without a leak-free, properly installed, maintained and operated vapor recovery system and failing to control produced gas at all times		10/02/2024	206, 325
13812	Careaga Lease	Newbridge Acquisition Holdings, LLC.	Orcutt	Failed to control emissions of produced gas at all times		10/02/2024	206, 325
13815	Lompoc Sanitary Landfill	City of Lompoc	Lompoc	Exceeded surface emissions of 500 ppm methane at four locations on the landfill surface		10/03/2024	206, CCR §95465
13814	C2 Cellars	C2 Cellars	Orcutt	Installed and operated storage and fermentation tanks without a District permit		10/09/2024	201, 206
13817	C2 Cellars	C2 Cellars	Orcutt	Exceeded the permitted limits for annual emissions, annual wine fermentation, and annual wine aging/storage		10/09/2024	206
13816	Platform Hillhouse	DCOR, LLC.	Santa Barbara County	Exceeded the number of allowable leaks		10/10/2024	331
13823	Via Real, 4410 (MVFF)	7-Eleven, Inc.	Carpinteria	Failed one gas station Vapor Recovery System test		10/21/2024	316
13824	Lash Const. (5 S. Calle Cesar Chavez)	Lash Construction	Santa Barbara	Failed to conduct Visible Emissions Evaluation by the due date, and failed to submit permit to operate application by the due date		10/22/2024	206
13825	Lash Const. (5 S. Calle Cesar Chavez)	Lash Construction	Santa Barbara	Failed to submit inspection and maintenance plan by the due date, and failed to submit permit to operate application by the due date		10/22/2024	206
13826	Central Coast Processing	Central Coast Processing	Guadalupe	Created a public nuisance to a considerable number of persons from a cannabis processing operation		10/22/2024	303
13827	Elings Park Landfill	City of Santa Barbara	Santa Barbara	Failed to submit source test results by due date		10/23/2024	206
13832	UCSB	University of California - Santa Barbara	Santa Barbara	Failed to maintain and submit fuel usage records for 8 boilers in the first half of 2024	x	10/29/2024	206
13833	Via Real, 4290 (MVFF)	Chevron Products Company (a Chevron U.S.A. Inc.)	Carpinteria	Installed and operated a replacement Clean Air Separator at a gas station without a District permit		10/30/2024	201
13834	MNUS	MANN+HUMMEL Water & Fluid Solutions, Inc.	Goleta	Failed to maintain required flowrates during the thermal oxidizer source test on 4/5/2022		10/30/2024	206
13835	MNUS	MANN+HUMMEL Water & Fluid Solutions, Inc.	Goleta	Failed to maintain required flowrates during the thermal oxidizer source test on 5/18/2023		10/30/2024	206

Penalty Settlement Payments Received October 2024

Nov #	Facility	Company	Location	Violation Description	Self Reported	Violation Issued	Rule	Date Paid	Total Penalty Received
13159	Windset Farms	Windset Farms	Santa Maria	Exceeded the permitted maintenance and testing hours for an emergency/standby diesel generator		08/10/2022	206	10/03/2024	\$560
13160	Windset Farms	Windset Farms	Santa Maria	Installed and operated a diesel engine without a District permit		08/10/2022	201	10/03/2024	\$5,565
13080	Price Management - Various Locations E/S	Price Management	Goleta	Failed to submit 2021 Annual Report by due date		7/27/2022	206	10/09/2024	\$250
13197	Platform Hillhouse	DCOR, LLC.	Santa Barbara County	Failed to seal an open-ended line		09/20/2022	331	10/14/2024	\$1,115
13226	Platform Hillhouse	DCOR, LLC.	Santa Barbara County	Failed to seal an open-ended line		12/09/2022	331	10/14/2024	\$5,560
13228	Platform Hillhouse	DCOR, LLC.	Santa Barbara County	Failed to properly maintain and keep flare scrubber in good condition at all times		12/09/2022	206	10/14/2024	\$1,115
13020	Pacific Western Bank	Pacific Western Bank	Santa Maria	Failed to submit 2021 Annual Report by due date		7/27/2022	206	10/16/2024	\$250
13396	Pacific Western Bank	Pacific Western Bank	Santa Maria	Failed to submit 2022 Annual Report by due date		05/26/2023	206	10/16/2024	\$500
13769	Cottage Health Care - Pueblo Street	Santa Barbara Cottage Hospital	Santa Barbara	Failed to submit source test plans for three boilers by due date, failed to calibrate the fuel meter, and failed to perform source tests for three boilers by due date		06/28/2024	206	10/21/2024	\$22,730

\$37,645